

The Gazette



सत्यमेव जयते

of India

No. 317

NEW DELHI, SATURDAY, AUGUST 4, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th July 1951

CHOLERA							SMALLPOX		PLAGUE		CHOLERA							SMALLPOX		PLAGUE					
C.							D.		C.		D.		C.							D.		C.		D.	
STATES PART (A) AND PART (C)														Bihar											
Ajmer														Patna	25	7	11	3	—	—	
No incidence.														Gaya	17	..	20	8	—	—	
(Estd. mid-year pop. 680 thousands)														Shahabad	12	—	91	31	—	—	
Total for w/e 30-6-51.														Saran	15	4	95	27	—	—	
Total for w/e 23-6-51.														Champanan	—	—	7	3	—	—	
7-yearly mean for the week.														Muzaffarpur	—	..	6	1	—	—	
Assam														Darbhanga	7	3	35	7	—	..	
Oachar														Monghyr	10	6	26	6	—	—	
Khasi and Jaintia Hills														Bhagalpur	—	37	6	—	—	
Naga Hills														Saharsa	—	—	
Goalpara														Purnea	50	9	..	—	
Kamrup														Santal Parganas	74	36	398	55	..	—	
Darrang														Hazaribagh	1	1	13	3	—	—	
Nowgong														Ranchi	5	3	6	
Sibsagar														Manbhum	3	1	21	1	
Lakhimpur														Palamau	—	—	3	1	.	.	
Sadiya & Frontier Tracts														Singhbhum	—	—	9	
Garo Hills														TOTAL	169	61	828	161	..	.	
TOTAL														(Estd. mid-year pop. 38,839 thousands).											
(Estd. mid-year pop. 8,101 thousands).														Total for w/e 30-6-51.	122	40	663	116	
Total for w/e 30-6-51														Total for w/e 23-6-51.	104	28	980	184	
Total for w/e 23-6-51														7-yearly mean for the week.	929	432	158	43	2	1	
7-yearly mean for the week														Bhopal											
Bhopal														Bombay											
No incidence.														Bombay	—	8	4	—	—	
(Estd. mid-year pop. 831 thousands)														Ahmedabad	—	—	—	—	—	..	
Total for w/e 30-6-51														Kaira	—	4	—	—	..	
Total for w/e 23-6-51														Broach	—	—	5	—	—	—	
7-yearly mean for the week.														Panch Mahals ¹	—	—	—	—	—	—	
														Surat ²	—	4	—	—	—	

Explanation of symbols used:—C:—Cases : D.—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 7th July, 1951.—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C. D. C. D. C. D.							C. D. C. D. C. D.						
West Bengal							Jammu & Kashmir						
Burdwan.	11	4	168	52	Return not received.						
Birbhum	50	14	Madhya Baharat						
Bankura	37	12	Return not received.						
Midnapur	2	1	17	13	Mysore						
Hoogly	9	4	18	7	Bangalore	39	11	10
Hewrah	61	34	31	19	Chikmagalur	20	10
24-Parganas	18	6	47	20	Chitaldrug	10	4	4	..	3	..
Calcutta	112	32	12	7	Hassan
Nadia	8	4	6	1	Kadur
Murahidabad	33	23	Kolar	4	4
Malda	10	5	51	23	Mandya	11	8
West Dinajpur	55	19	Mysore	21	14	16	4	13	4
Jalpaiguri	Shimoga	10	3
Darjeeling	28	13	Tamkur	1	1	3	4
Cooch Behar	1	TOTAL	106	52	40	7	29	8
Chandernagore	PEPSU						
TOTAL	231	90	553	224	TOTAL	50	16
(Estd. mid-year pop. 24,045 thousands)							Rajasthan						
Total for w/e 30.6.51.	305	103	708	296	Bikaner	12	3
Total for w/e 23.6.51.	292	106	890	384	Jalpur	3	—
7-yearly mean for the week	257	114	112	58	Jodhpur	—
Grand total for States Parts (A) & (C)	1,275	547	3,136	704	TOTAL	15	3
(Excluding Himachal Pradesh)							Saurashtra						
(Estd. mid-year pop. 2,76,505 thousands).							Gohilwad
Corresponding Total for w/e 30.6.51	1,435	579	3,887	1,045	Halar
Corresponding Total for w/e 23.6.51.	1,565	687	3,752	863	Madhya Saurashtra
7-yearly mean for the week	2,927	1,452	1,216	300	28	9	Sorath	1	1
STATES PART (B)							Zalawad
Hyderabad							TOTAL	1	1
Aurangabad	Travancore-Cochin						
Parbhani	TOTAL	26	6
Bhir	Vindhya Pradesh						
Gulberga	Shahdol	50	12	..	—
Rajchur	3	3	Tikamgarh
Bidar	Ohhatarpur
Osmanabad	30	10	Satna
Warangal	..	3	1	1	Datia
Karimnagar	3	1	Rewa
Adilabad	TOTAL	50	12
Nizamabad	1	Grand total for States Part (B)	220	90	189	47	29	8
Medak	1	Grand total for States Parts (A), (B) & (C)	1,495	637	3,325	751	29	8
Nalgonda	1	TYPHUS						
Mahbubnagar	No case of Typhus was reported during the week.						
Hyderabad	5	1	Pollomyelitis						
Nanded	70	21	(Information based on patients treated in hospitals in important towns.)						
TOTAL	114	38	7	2	Place	Period		Cases			
Explanation of Symbols used :—C.—Cases, D.—Deaths.							Punjab (I)	16—30 June, 1951		5 (Paretio)			
							Delhi	1—15 July, 1951		3 (")			
							Madras	1—15 March, 1951		8 (")			
							"	16—31 March, 1951		21 (")			
							"	1—15 April, 1951		12 (")			

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th July, 1951

		Deaths from :—															
Town	Mid-1951 Popn. Est. (000)	B.	B. R.*	O	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.				
STATES (Parts A and O)																	
Ajmer																	
Ajmer	176	125	36.9	7	3	6	...	26	7.7	9				
Beawar	45	40	46.2	1	...	2	...	8	9.2	2				
TOTAL	221	165	38.8	8	3	8	...	34	8.0	11				
Assam		Returns not received.															
Bhopal		103	24	12.1	2	1	6	†	15	7.6	†			
Bihar					
Arrah	57	7	6.3	...	2	...	3	5	4.5	...				
Bettiah	33	9	14.3	7	1	16	25.4	...				
Bhagalpur	103	12	6.1	3	1	6	3.3	...				
Bihar	63	9	7.5	2	1.7	...				
Chapra	63	11	9.1	...	1	...	5	7	5.8	...				
Darbhanga	78	22	14.7	4	...	1	...	13	8.7	...				
Dinapur-Nizamut	37	3	4.3	...	5	...	1	6	8.5	...				
Gaya	123	41	17.3	1	3	...	23	2	15	...	63	26.7	...				
Jamalpur	49	9	9.6	...	1	...	2	1	8	8.5	...				
Jamshedpur	216	63	15.2	1	...	9	2.2	3				
Monghyr	74	11	7.8	1	1	1	6	4.2	...				
Muzaffarpur	66	3	6	4.8	...				
Patna	192	12	3.2	...	2	...	2	...	1	...	13	3.5	...				
Purnia	35	4	5.9	3	3	4.5	...				
Ranchi	68	9	8.1	...	1	1	0.9	...				
TOTAL	1,246	222	9.3	2	16	...	56	6	18	...	164	6.8	3				
Bombay					
Ahmedabad	882	469	28.1	72	2	45	...	211	12.5	80				
Ahmednagar	67	45	34.9	3	3	5	...	21	16.3	6				
Amalner	46	22	24.9	2	3	3.4	...				
Bandra†				
Baroda City	192	121	32.8	18	1	8	1	37	10.0	11				
Barli	42	12	14.9	4	14	17.3	7				
Belgaum	79	83	54.6	2	2	7	...	31	20.4	5				
Bhusawal	45	35	40.4	4	6	6.9	...				
Bijapur	58	33	29.6	2	2	4	...	16	14.3	2				
Bombay	2,354	1,235	27.3	...	4	...	4	29	145	1	611	13.5	167				
Broach	78	51	34.0	7	1	5	...	21	14.0	5				
Cambay	38	34	30.7	10	13	17.9	4				
Dharwar	55	35	33.0	2	2	2	...	13	12.8	1				
Dhule	67	32	24.8	7	1	1	1	13	18.0	3				
Gadag-Betgeri	67	38	29.4	7	33	25.6	12				
Godhra	49	33	35.1	3	...	1	...	8	8.5	1				
Hubli	108	53	25.1	6	1	8	...	31	14.9	4				
Jalgaon	63	16	13.2	4	1	3	...	16	13.2	4				
Kalyan†				
Kolhapur	119	66	29.3	4	2	2	...	33	14.7	7				
Kurli†				
Malegaon	41	26	33.0	11	2	4	...	17	21.6	3				
Miraj†				
Nadiad†	59	39	34.4	19	...	1	1	26	22.9	13				
Nasik	59	51	49.9	...	2	...	3	...	4	1	28	24.7	7				
Navsari	47	33	36.6	2	...	1	1	5	5.5	2				
Pandharpur	37	55	77.3	4	4	5	...	19	26.7	7				
Parle Andheri†				
Patan	43	44	53.2	11	1	17	20.6	5				
Poona	319	264	43.0	2	4	33	2	112	18.3	40				
Sangli	40	15	19.6	4	...	4	...	22	26.6	1				
Satara	41	29	36.8	1	1	11	14.0	2				
Sholapur	274	163	30.9	9	7	24	...	80	15.1	20				
Surat	246	166	35.8	15	4	17	1	76	16.1	22				
TOTAL	5,615	3,298	30.5	...	4	...	241	68	330	10	1,544	14.3	441				
Delhi State					
Delhi City	702	466	34.5	70	5	21	4	134	9.9	41				
New Delhi	124	141	59.1	1	2	1	...	39	16.4	9				
TOTAL	826	607	38.2	71	7	22	4	173	10.9	50				

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; O.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Tyson to y and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death rate; I. D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th July, 1951—*contd.*

Towns	Mid-1951 Popn. Est. (000)	Deaths from—											Total	D. R.*	I.D.
		B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.					
Madhya Pradesh															
Akola †															
Amravati . . .	78	48	32.2	4	2	3	1	22	15.4	0		
Bilaspur . . .	44	14	16.6	..	1	..	3	1	2	..	7	8.3	2		
Burhanpur . . .	64	44	35.6	..	2	..	9	4	1	..	23	18.6	..		
Ohanda . . .	44	25	29.8	2	1	6	..	9	10.7	6		
Damoh †															
Ellichpur . . .	34	20	30.2	4	1	1	..	15	22.5	0		
Hinganghatt†															
Jabalpur . . .	177	116	34.0	..	3	..	10	1	6	..	40	11.7	5		
Khandwa . . .	42	28	34.3	4	3	10	11.8	..		
Nagpur†															
Nagpur Civil Station†															
Raipur . . .	82	19	12.0	2	4	2.5	..		
Sagar†															
Wardha†															
Yestmal . . .	32	21	33.8	4	1	1	..	10	16.1	5		
TOTAL . . .	597	335	29.2	..	6	..	42	14	20	1	141	12.3	33		
Madras															
Adoni . . .	35	23	34.2	1	..	7	10.4	4		
Ambur . . .	39	42	56.0	1	1	15	20.0	5		
Anakapalle . . .	35	23	34.2	..	4	..	4	3	2	..	22	32.7	8		
Aruppukottai . . .	36	32	46.2	3	2	2	..	12	17.3	6		
Bellary†															
Bhimavaram . . .	33	9	14.2	1	4	6.3	1		
Oannanore . . .	35	24	35.7	1	..	1	..	10	14.9	3		
Chirala . . .	36	14	20.2	1	..	1	..	7	10.1	1		
Chittoor . . .	34	31	47.4	1	2	..	16	24.5	4		
Coimbatore †															
Cuddalore . . .	62	45	37.7	2	5	2	1	21	17.6	3		
Cuddappah†															
Dindigul . . .	69	37	28.3	1	1	6	..	18	13.8	4		
Eluru†															
Erode . . .	45	34	52.9	1	..	7	1	31	48.3	5		
Guddiyattam . . .	41	26	32.9	2	11	14.0	2		
Guntur . . .	103	100	50.5	3	5	..	2	3	38	19.2	9		
Kakinada . . .	85	25	15.3	2	..	15	9.2	5		
Kancheepuram . . .	84	61	37.8	3	3	9	..	36	22.3	6		
Konhikode . . .	154	146	49.2	..	1	..	6	3	10	..	78	26.3	8		
Karakudi †															
Karur . . .	36	13	18.8	4	5.8	..		
Kumbakonam . . .	72	58	41.9	..	1	3	3	..	27	19.5	3		
Kurnool . . .	56	40	37.1	2	11	10.2	2		
Madras†															
Mangalore . . .	96	62	33.6	4	3	3	..	24	13.0	5		
Masulipatnam . . .	61	29	24.7	..	2	..	6	3	2	..	31	26.4	6		
Mathurai . . .	298	316	47.8	1	2	..	21	10	45	1	147	22.2	29		
Mayuram . . .	33	17	26.8	1	..	2	..	10	15.8	1		
Melapalayam . . .	32	18	29.3	3	1	1	..	8	13.0	3		
Nagapattinam . . .	57	25	22.8	4	2	5	1	37	33.8	7		
Nellore . . .	67	79	61.3	7	3	2	4	43	33.4	7		
Ootacamund . . .	35	32	47.5	..	1	1	5	..	11	16.3	3		
Palyaamkotta . . .	34	24	36.7	1	4	..	12	18.4	2		
Palghat . . .	61	61	52.0	..	1	4	2	..	33	28.1	11		
Proddatur . . .	34	10	15.3	1	1	..	4	6.1	3		
Padukottai . . .	40	23	29.9	4	1	2	..	18	23.4	1		
Rajahmundry . . .	86	36	21.8	3	1	1	..	20	12.1	4		
Rajapalayam . . .	54	29	27.9	3	5	4	..	23	25.2	4		
Salem . . .	158	95	31.3	..	1	3	14	..	56	18.4	5		
Srivilliputtur . . .	37	26	36.5	3	2	11	15.5	2		
Tanjore . . .	71	51	37.4	3	..	2	44	32.2	6		
Tellicherry . . .	42	34	42.1	1	1	2	1	9	21.4	2		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th July, 1951—*contd.*

Deaths from :—

Town	Mid-1951 Popu.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Tenali	47	26	28.8	1	2	8	8.9	2
Tiruchirappalli	177	78	21.5	..	1	8	15	..	94	27.6	14
Tirunelveli	64	37	30.1	8	5	..	27	21.9	4
Tiruppur	49	35	37.1	3	3	4	..	25	26.5	5
Tiruvannamalai	40	16	20.8	4	3	6	..	19	24.7	2
Tuticorin	91	51	29.1	2	6	18	1	47	26.9	7
Vaniyambadi	40	30	39.0	2	..	7	9.1	2
Vellore	86	99	59.9	2	1	6	6	3	57	34.5	15
Vijayavada	113	51	23.5	2	3	1	..	29	13.4	7
Virudunagar	36	36	52.0	4	4	2	..	23	33.2	4
Visakhapatnam	84	51	31.6	5	2	6	..	30	18.6	5
Vizianagaram	59	51	45.0	4	4	3	..	32	28.2	8
TOTAL	2,372	2,306	36.6	6	14	..	116	110	214	21	1,322	21.0	254
Orissa													
Berhampur	50	40	41.7	..	1	..	4	2	2	..	18	18.8	4
Cuttack	84	82	50.8	13	5	3	..	42	26.0	4
Puri	45	35	40.5	6	2	5	..	20	23.2	5
TOTAL	179	157	45.6	..	1	..	23	9	10	..	80	23.2	13
Punjab (2)													
Ambala	58	26	23.4	15	4	25	22.5	10
Amritsar	320	112	18.2	12	11	31	2	89	14.5	17
Batala	51	32	32.7	2	1	5	..	11	11.2	3
Bhiwani	52	55	55.0	12	1	3	..	25	25.0	10
Fazilka †	41	23	29.3	2	..	6	7.1	2
Ferozapore	35	19	28.3	4	..	2	..	9	13.4	2
Hissar	46	25	28.3	10	..	1	..	12	13.6	3
Hoshiarpur	171	74	22.6	10	..	3	..	27	8.2	7
Jullundur	60	28	24.3	4	1	6	5.2	3
Kaithal †	150	76	26.4	22	..	1	..	35	12.2	8
Karnal	37	11	15.5	11	13	18.3	1
Ludhiana	56	30	27.9	4	..	2	..	12	11.2	3
Moga	24	17	26.1	6	1	2	..	9	13.8	..
Panipat	59	34	30.0	10	15	13.3	5
Rewari
Rohtak
Simla †
Sonepat †
TOTAL	1,170	563	25.0	122	13	53	3	294	13.1	74
Uttar Pradesh													
Agra	360	283	40.9	2	9	77	..	136	19.7	40
Allahabad	332	285	44.7	3	2	40	1	78	12.2	18
Amroha	67	50	38.7	3	4	3	..	28	21.7	7
Bahraich	47	21	23.4	6	4	4	1	18	20.0	2
Balrampur†	313	219	36.5	57	7	16	4	143	23.8	35
Banaras	240	171	37.2	14	5	5	..	49	10.6	17
Bareilly	59	24	21.2	10	..	1	..	16	14.2	7
Budaun	105	37	18.3	3	6	4	..	24	11.9	6
Dehra Dun	59	62	54.3	10	1	2	..	32	23.9	13
Etawah	58	19	17.0	4	..	2	1	10	8.9	1
Faizabad-Ajodhya	65	55	44.4	15	2	6	..	30	24.2	15
Farrukhabad-Fatehgarh
Ferozabad†	35	16	23.6	7	1	2	..	11	16.3	..
Ghazipur	123	59	25.0	..	1	..	14	1	4	1	32	13.5	6
Gorakhpur	48	45	49.3	5	2	1	..	13	14.2	3
Hapur	57	59	53.7	5	1	4	..	15	14.9	..
Hardwar Union†
Hathras	52	30	19.9	5	1	4	..	15	14.9	..
Jaunpur	91	108	62.1	25	2	1	..	31	17.7	6
Jhansi	701	308	22.9	99	37	29	3	288	21.4	92
Kanpur

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th July, 1951—contd.

Deaths from :—														
Town	Mid-1951 Popu.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh—contd.														
Khurja †	42	30	37.4	2	..	6	..	17	21.2	5	
Koili Aligarh	146	72	25.7	5	3	9	..	26	8.3	6	
Lucknow	498	274	28.7	..	1	..	44	13	24	..	153	16.0	49	
Mathura	102	84	42.9	25	3	7	..	50	25.5	13	
Meerut	163	115	36.9	5	3	9	..	26	8.3	6	
Mirzapur-Vindhyachal	82	68	43.5	..	1	..	17	2	2	..	37	23.6	13	
Moradabad	189	150	41.4	19	8	9	2	65	17.9	14	
Muzaffarnagar	66	31	24.3	9	2	3	..	21	16.5	8	
Pilibhit	54	54	52.3	8	2	1	..	16	15.5	5	
Rampur	105	23	11.4	9	..	7	..	25	12.4	3	
Saharanpur	171	97	29.6	55	3	1	..	65	19.8	21	
Sambhal	64	54	43.9	14	4	2	..	23	18.7	7	
Shahjahanpur	135	93	36.9	22	8	3	1	42	16.2	19	
Sitapur	38	24	33.1	1	7	..	1	..	11	15.2	2	
TOTAL	4,667	3,011	33.5	1	3	..	549	138	287	14	1,567	17.5	465	
West Bengal														
Asansol†	71	10	7.3	1	1	2	..	6	4.4	1	
Bally	62	9	7.6	1	2	1.7	..	
Bankura	72	39	28.1	1	3	7	3	..	28	20.2	8	
Baranagar	56	29	26.9	..	4	..	9	..	1	1	20	18.6	5	
Bhatpara	150	18	6.2	..	1	..	21	3	5	..	47	16.3	7	
Budge-Budge	41	2	2.6	..	1	..	2	1	5	6.4	..	
Burdwan	87	21	12.6	1	1	..	2	1	2	..	10	6.0	..	
Calcutta	2,565	1,101	22.3	32	7	..	59	84	135	3	629	12.8	153	
Chanddani	39	36	48.7	2	1	5	6.3	..	
Garden Reach	115	8	3.6	1	1	..	2	3	1	..	12	5.4	2	
Hooghly-Chinsura†	539	92	8.9	20	4	..	15	26	23	..	149	14.4	20	
Kamarhati†	40	83	108.0	2	1	2	1	9	11.7	1	
Krishnagar	55	8	7.6	1	..	2	..	6	5.7	..	
Midnapur	43	19	23.2	6	2	9	11.0	..	
Nabadwip	54	3	2.9	..	1	6	5.8	2	
Naihati	72	22	15.9	2	1	..	3	5	4	..	30	21.7	7	
Serampur	66	17	13.5	18	..	1	..	23	18.3	8	
South Suburban†	94	2	1.1	1	1	..	3	1.7	..	
Titagarh	66	17	13.5	18	..	1	..	23	18.3	8	
Tollyganj	94	2	1.1	1	1	..	3	1.7	..	
TOTAL	4,221	1,519	18.7	59	32	..	143	134	184	6	999	12.3	214	
STATES—(PART B)														
Return not received.														
Jammu and Kashmir														
Madhya Bharat														
Greater Gwalior	240	57	12.5	3	1	9	2.0	..	
Indore City	278	208	38.9	34	4	2	1	98	18.3	29	
Ratlam	52	20	20.0	9	2	1	..	18	14.9	..	
Ujjain City†	570	285	26.0	46	6	3	2	124	11.3	29	
Mysore State														
Bangalore City	510	386	39.4	12	33	51	..	134	13.7	..	
Kolar Gold Fields	184	169	47.8	5	15	2	..	29	8.2	..	
Mysore City	195	111	29.4	1	2	..	8	7	41	10.9	..	
TOTAL	889	666	39.0	1	2	..	25	55	53	..	204	11.9	..	
PEPSU														
Maierkotia	35	28	40.4	2	4	5.8	2	
Patiala	85	54	33.0	20	1	..	1	29	17.7	18	
TOTAL	121	82	35.2	22	1	..	1	33	14.2	20	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th July, 1951—*contd.*

Town	Mid-1951 Popn-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Rajasthan															
Alwar	61	28	23.9	..	2	..	2	..	1	..	15	12.8	..		
Bikaner	170	46	14.0	1	4	..	5	10.0	3		
Jaipur	204	60	15.2	..	1	..	24	4	2	..	61	15.5	30		
Jodhpur	160	62	20.1	4	15	4.8	..		
Udaipur	74	4	2.8	..	2	..	3	11	7.7	2		
TOTAL	669	200	15.5	..	5	..	33	5	7	..	107	8.3	35		
Saurashtra															
Bhavnagar	131	35	13.9	13	..	2	..	20	7.9	4		
Dholaji†	80	23	13.4	7	..	3	..	16	9.3	4		
Jamnagar	34	15	22.9	5	8	12.2	3		
Jetpur	77	20	13.5	12	3	5	..	28	18.9	12		
Junagadh	56	10	9.3	1	1	1	..	3	2.8	..		
Morvi	64	45	36.6	..	1	..	8	2	..	1	18	14.6	9		
Porbandar	74	35	59.7	27	1	2	..	30	21.1	..		
Rajkot															
TOTAL	525	233	23.1	..	1	..	73	7	13	1	123	12.2	32		

Return not received.

Travancore-Cochin

ARREAR RETURNS															
For w/e the 30th June, 1951															
Bihar															
Arrah	37	9	8.1	..	1	..	2	5	4.5	..		
Bettiah	33	4	6.3	1	2	3.2	1		
Bhagalpur	103	6	3.0	..	1	..	4	17	5.6	..		
Bihar	62	7	5.8	3	4	3.3	..		
Ohapra	63	12	9.9	..	2	..	4	7	5.8	..		
Darbhanga	75	22	14.7	4	..	1	..	8	5.3	..		
Dinapur-Nizamat.	37	2	2.8	1	2	14	19.9	..		
Gaya	123	37	15.7	..	1	..	35	4	23	..	86	36.4	..		
Jamalpur	49	2	2.1	1	1	1.1	..		
Jamshedpur	216	71	17.1	3	1	3	..	16	3.9	3		
Monghyr	74	7	4.9	3	4	2.8	..		
Muzaffarpur	66	36	28.6	..	15	..	8	39	30.9	..		
Patna	192	20	5.4	..	1	5	1.4	..		
Purulia	35	5	7.4	1	3	4.5	..		
Ranchi	58	12	10.8	..	1	..	6	13	11.7	..		
TOTAL	1,246	252	10.8	..	22	..	76	7	28	..	224	9.3	4		
Bombay															
For w/e															
Hubli	2-6-51	108	49	23.6	4	1	2	1	19	9.1	3		
Nadied	16-6-51	59	36	31.6	21	..	2	..	33	22.9	8		
Malegaon	23-6-51	41	30	36.0	11	1	10	..	29	36.8	7		
Sangli	30-6-51	40	29	37.7	2	4	3	..	14	18.2	2		
Madhya Pradesh															
Wardha	9-6-51	37	9	12.5	..	1	2	3	4.2	..		
"	30-6-51	..	8	11.1	..	1	1	1	2	2.8	2		
Hinganghat	9-6-51	34	18	27.8	4	..	2	..	8	12.4	4		
"	30-6-51	..	11	17.0	2	2	8	12.4	2		
Khandwa	16-6-51	42	15	18.4	3	9	11.0	..		
Burhanpur	..	64	51	40.5	..	3	12	1	24	19.4	..		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoeas ; R.D.—Respiratory diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 7th July 1951, relate to 194 towns with an estimated population of 24,891 thousands. The total number of towns is 236 and their population is 28,965 thousands. Thus 82% of the total number of towns representing 86% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 13,772 and 6,924 representing birth and death rates of 28·8 and 14·5 per thousand of population respectively.

(A) *States (Parts A and C).*—The data here relate to 174 towns with an estimated population of 22,117 thousands. Information about Assam could not be included. The total number of towns is 204 and their population is 25,135 thousands. Thus 85% of the total number of towns representing 88 % of the total population is covered. The numbers of births and deaths

recorded in these towns were 12,306 and 6,333 representing birth and death rates of 28·9 and 14·9 per thousand of population respectively. The table at the end gives the position by States.

No towns recorded a high death rate of 50 or over per thousand of population.

(B) *States (Part B)* :—The data here relate to 20 towns with an estimated population of 2,774 thousands. The total number of towns is 32 and their population is 3,830 thousands. Thus 63% of the total number of towns representing 72% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,466 and 591 representing birth and death rates of 27·5 and 11·1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/s 7-7-51		Corresponding w/s last year		Corresponding mean during the previous 5 years' period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	38·8	8·0	35·5	10·7	32·7	13·9
Bihar	9·3	6·8	9·9	9·8	13·2	10·8
Bombay	30·5	14·3	31·3	16·6	29·5	20·4
Delhi	38·2	10·9	39·9	13·8	33·9	18·1
Madhya Pradesh	29·2	12·3	33·1	16·3	32·9	18·2
Madras	36·6	21·0	42·5	25·2	43·2	22·1
Orissa	45·6	23·2	38·4	27·8	46·1	27·5
Punjab (I)	25·0	13·1	26·4	15·6	27·2	16·6
Uttar Pradesh	33·5	17·5	26·8	20·3	30·3	23·6
West Bengal	18·7	12·3	13·9	15·2	11·6	12·3
India (only States Parts A and C).	28·9	14·9	27·5	17·9	28·5	19·4

NEW DELHI, 2 (INDIA);
The 30th July, 1951.

S. P. JAIN,
for Registrar General, India.

